

Thus, the invention can be employed in place of BHT or BHA in known utilities of BHA and BHT, such as an antioxidant, for instance, an antioxidant food additive. The invention can also be employed in place of

5 topoisomerase-inhibitors in the presently known utilities therefor. Accordingly, there are many compositions and methods envisioned by the invention; for instance, antioxidant or preservative compositions, topoisomerase-inhibiting compositions, methods for preserving food or

10 any desired item such as from oxidation, and methods for inhibiting topoisomerase which comprise either the extract and/or cocoa polyphenol(s) or which comprise contacting the food, item or topoisomerase with the respective composition or with the extract and/or cocoa

15 polyphenol(s).

Having thus described in detail the preferred embodiments of the present invention, it is to be understood that the invention defined by the appended claims is not to be limited by particular details set

20 forth in the above descriptions as many apparent variations thereof are possible without departing from the spirit or scope of the present invention.

REFERENCES

1. Barrows, L.R., Borchers, A.H., and Paxton, M.B.,
Transfectant CHO Cells Expressing O⁶ - alkylguanine
- DNA-alkyltransferase Display Increased Resistance
to DNA Damage Other than O⁶-guanine Alkylation,
Carcinogenesis, 8:1853 (1987).
2. Boukharta, M., Jalbert, G. and Castonguay, A.,
Efficacy of Ellagitannins and Ellagic Acid as Cancer
Chemopreventive Agents - Presented at the XVIth
International Conference of the Groupe Polyphenols,
Lisbon, Portugal, July 13-16, 1992.
3. Burres, N.S., Sazesh, J., Gunawardana, G.P., and
Clement, J.J., Antitumor Activity and Nucleic Acid
Binding Properties of Dercitin, a New Acridine
Alkaloid Isolated from a Marine Dercitus species
Sponge, Cancer Research, 49, 5267-5274 (1989).
4. Caragay, A.B., Cancer Preventive Foods and
Ingredients, Food Technology, 46:4, 65-79 (1992).
5. Chu, S.-C., Hsieh, Y.-S. and Lim, J.-Y., Inhibitory
Effects of Flavonoids on Maloney Murine Leukemia
Virus Reverse Transcriptase Activity, J. of Natural
Products, 55:2, 179-183 (1992).
6. Clapperton, J., Hammerstone, J.F. Jr., Romanczyk,
L.J. Jr., Chan, J., Yow, S., Lim, D. and Lockwood,
R., Polyphenols and Cocoa Flavor - Presented at the
XVIth International Conference of the Groupe
Polyphenols, Lisbon, Portugal, July 13-16, 1992.
7. Danks, M.K., Schmidt, C.A., Cirtain, M.C., Suttle,
D.P., and Beck, W.T., Altered Catalytic Activity of
and DNA Cleavage by DNA Topoisomerase II from Human
Leukemic Cells Selected for Resistance to VM-26,
Biochem., 27:8861 (1988).
8. Delcour, J.A., Ferreira, D. and Roux, D.G.,
Synthesis of Condensed Tannins, Part 9, The
Condensation Sequence of Leucocyanidin with (+)-
Catechin and with the Resultant Procyanidins, J.
Chem. Soc. Perkin Trans. I, 1711-1717 (1983).
9. Deschner, E.E., Ruperto, J., Wong, G. and Newmark,
H.L., Quercetin and Rutin as Inhibitors of
Azoxymethanol - Induced Colonic Neoplasia,
Carcinogenesis, 7, 1193-1196 (1991).
10. Designing Foods, Manipulating Foods to Promote
Health, Inform, 4:4, 344-369 (1993).

11. Drake, F.H., Hofmann, G.A., Mong., S.-M., Bartus, J.O., Hertzberg, R.P., Johnson, R.K., Mattern, M.R., and Mirabelli, C.K., In vitro and Intercellular Inhibition of Topoisomerase II by the Antitumor Agent Membranone, Cancer Research, 49, 2578-2583 (1989).
12. Engels J.M.M., Genetic Resources of Cacao: A Catalogue of the CATIE Collection, Tech. Bull. 7, Turrialba, Costa Rica (1981).
13. Enriquez G.A. and Soria J.V., Cocoa Cultivars Register IICA, Turrialba, Cost Rica (1967).
14. Ferreira, D., Steynberg, J.P., Roux, D.G. and Brandt, E.V., Diversity of Structure and Function in Oligomeric Flavanoids, Tetrahedron, 48:10, 1743-1803 (1992).
15. Fesen, M. and Pommier, Y., Mammalian Topoisomerase II Activity is Modulated by the DNA Minor Groove Binder - Distainycin in Simian Virus 40 DNA, J. Biol. Chem., 264, 11354-11359 (1989).
16. Fry, D.W., Boritzki, T.J., Besserer, J.A., and Jackson, R.C., In vitro Strand Scission and Inhibition of Nucleic Acid Synthesis on L1210 Leukemia Cells by a New Class of DNA Complexes, the anthra [1, 9-CD]pyrazol-6(2H)-ones (anthrapyrazoles), Biochem. Pharmacol., 34, 3499-3508 (1985).
17. Hsiang, Y.-H., Jiang, J.B., and Liu, L.F., Topoisomerase II Mediated DNA Cleavage by Amonafide and Its Structural Analogs, Mol. Pharmacol., 36, 371-376 (1989).
18. Jalal, M.A.F. and Collin, H.A., Polyphenols of Mature Plant, Seedling and Tissue Cultures of Theobroma Cacao, Phytochemistry, 6, 1377-1380 (1978).
19. Jeggo, P.A., Caldecott, K., Pidsley, S., and Banks, G.R., Sensitivity of Chinese Hamster Ovary Mutants Defective in DNA Double Strand Break Repair to Topoisomerase II Inhibitors, Cancer Res., 49:7057 (1989).
20. Kashiwada, Y., Nonaka, G.-I., Nishioka, I., Lee, K.J.-H., Bori, I., Fukushima, Y., Bastow, K.F., and Lee, K.-H., Tannin as Potent Inhibitors of DNA Topoisomerase II in vitro, J. Pharm. Sci., 82:5, 487-492 (1993).

21. Kato, R., Nakadate, T., Yamamoto, S. and Sugimura, T., Inhibition of 12-O-tetradecanoylphorbol-13-acetate Induced Tumor Promotion and Ornithine Decarboxylase Activity by Quercitin: Possible Involvement of Lipoxygenase Inhibition, *Carcinogenesis*, 4, 1301-1305 (1983).
5
22. Kawada, S.-Z., Yamashita, Y., Fujii, N. and Nakano, H., Induction of Heat Stable Topoisomerase II-DNA Cleavable Complex by Nonintercalative Terpenoids, Terpentecin and Clerocidin, *Cancer Research*, 51, 2922-2929 (1991).
10
23. Kemp, L.M., Sedgwick, S.G. and Jeggo, P.A., X-ray Sensitive Mutants of Chinese Hamster Ovary Cells Defective in Double Strand Break Rejoining, *Mutat. Res.*, 132:189 (1984).
15
24. Kikkoman Corporation, Antimutagenic Agent Containing Proanthocyanidin Oligomer Preferably Having Flavan-3-ol-Diol Structure, JP 04190774-A, July 7, 1992.
20
25. Lehrian, D.W.; Patterson, G.R. In *Biotechnology*; Reed, G., Ed.; Verlag Chemie: Weinheim, 1983, Vol.5, Chapter 12.
25
26. Leonessa, F., Jacobson, M., Boyle, B., Lippman, J., McGarvey, M., and Clarke, R. Effect of Tamoxifen on the Multidrug-Resistant Phenotype in Human Breast Cancer Cells: Isobolograms, Drug Accumulation, and M_r 170,000 Glycoprotein (gp 170) Binding Studies, *Cancer Research*, 54, 441-447 (1994).
30
27. Liu, L.F., DNA Topoisomerase Poisons as Antitumor Drugs, *Ann. Rev. Biochem.*, 58, 351-375 (1989).
35
28. McCord, J.D. and Kilara A. Control of Enzymatic Browning in Processed Mushrooms (*Agaricus bisporus*). *J. Food Sci.*, 48:1479 (1983).
40
29. Miller, K.G., Liu, L.F. and Englund, P.A., Homogeneous Type II DNA Topoisomerase from Hela Cell Nuclei, *J. Biol. Chem.*, 256:9334 (1981).
45
30. Mosmann, T., Rapid Colorimetric Assay for Cellular Growth and Survival: Application to Proliferation and Cytotoxicity Assays, *J. Immunol. Methods*, 65, 55 (1983).
50
31. Muller, M.T., Helal, K., Soisson, S. and Spitzer, J.R., A Rapid and Quantitative Microtiter Assay for Eukaryotic Topoisomerase II, *Nuc. Acid Res.*, 17:9499 (1989).

32. Nawata, H., Chong, M.T., Bronzert, D. and Lippman, M.E. Estradiol-Independent growth of a Subline of MCF-7 Human Breast Cancer Cells in Culture, *J. Biol. Chem.*, 256:13, 6895-6902 (1981).
- 5 33. Okuda, T., Yoshida, T., and Hatano, T., Molecular Structures and Pharmacological Activities of Polyphenols - Oligomeric Hydrolyzable Tannins and Others - Presented at the XVIth International Conference of the Groupe Polyphenols, Lisbon, Portugal, July 13-16, 1992.
- 10 34. Phenolic Compounds in Foods and Their Effects on Health II. Antioxidants & Cancer Prevention, Huang, M.-T., Ho, C.-T., and Lee, C.Y. editors, ACS Symposium Series 507, American Chemical Society, Washington, D.C. (1992).
- 15 35. Phenolic Compounds in Foods and Their Effects on Health I, Analysis, Occurrence & Chemistry, Ho, C.-T., Lee, C.Y., and Huang, M.-T editors, ACS Symposium Series 506, American Chemical Society, Washington, D.C. (1992).
- 20 36. Porter, L.J., Ma, Z. and Chan, B.G., Cocoa Procyanidins: Major Flavanoids and Identification of Some Minor Metabolites, *Phytochemistry*, 30, 1657-1663 (1991).
- 25 37. Revilla, E., Bourzeix, M. and Alonso, E., Analysis of Catechins and Procyanidins in Grape Seeds by HPLC with Photodiode Array Detection, *Chromatographia*, 31, 465-468 (1991).
- 30 38. Scudiero, D.A., Shoemaker, R.H., Paull, K.D., Monks, A., Tierney, S., Nofziger, T.H., Currens, M.J., Seniff, D., and Boyd, M.R. Evaluation of a Soluble Tetrazolium/Formazan Assay for Cell Growth and Drug Sensitivity in Culture Using Human and Other Tumor Cell Lines, *Canur Research*, 48, 4827-4833 (1988).
- 35 39. Self, R., Eagles, J., Galletti, G.C., Mueller-Harvey, I., Hartley, R.D., Lee, A.G.H., Magnolato, D., Richli, U., Gujur, R. and Haslam, E., Fast Atom Bombardment Mass Spectrometry of Polyphenols (syn. Vegetable Tannins), *Biomed Environ. Mass Spec.* 13, 449-468 (1986).
- 40 40. Tanabe, K., Ikegami, Y., Ishida, R. and Andoh, T., Inhibition of Topoisomerase II by Antitumor Agents bis(2,6-dioxopiperazine) Derivatives, *Cancer Research*, 51, 4903-4908 (1991).
- 45
- 50

41. Van Oosten, C.W., Poot, C. and A.C. Hensen, The Precision of the Swift Stability Test, Fette, Seifen, Anstrichmittel, 83:4, 133-135 (1981).
- 5 42. Wang, J.C., DNA Topoisomerases, Ann. Rev. Biochem., 54, 665-697 (1985).
43. Wartens, R.L., Lyons, B.W., Li, T.M. and Chen, D.J., Topoisomerase II Activity in a DNA Double-Strand Break Repair Deficient Chinese Hamster Ovary Cell Line, Mutat. Res., 254:167 (1991).
- 10
44. Yamashita, Y., Kawada, S.-Z. and Nakano, H., Induction of Mammalian Topoisomerase II Dependent DNA Cleavage by Nonintercalative Flavanoids, Genistein and Orbol., Biochem Pharm, 39:4, 737-744 (1990).
- 15
45. Yamashita, Y., Kawada, S.-Z., Fujii, N. and Nakano, H., Induction of Mammalian DNA Topoisomerase I and II Mediated DNA Cleavage by Saintopin, a New Antitumor Agent from Fungus, Biochem., 30, 5838-5845 (1991).
- 20